

```

-----n3-----
n3_con_cursos[1]
-----n3-----
CODIGO: GENERADOR DE SENTENCIA "CREATE TABLE"
*****
Elaborado por:
    Gutierrez Cahuapaza Edwin A.          5483563 LP
    Pucarico Condori Froilan             4805817 LP
    Zuleta Quispe Cristobal              5977396 LP
-----n3-----
--declarando cursos

declare c3 cursor
for select a.name, b.name, a.max_length/2 as Longitud
      from sys.columns a,sys.types b
--469576711 id del objeto Unidades
      where object_id=469576711 and a.user_type_id=b.user_type_id and
      (b.system_type_id=231 or b.system_type_id=48)

declare c4 cursor
for
select b.type_desc, a.name
from sys.columns a, sys.key_constraints b
where a.object_id=b.parent_object_id and a.is_nullable=0

--ejecutando cursos

open c3
declare @n nvarchar(50);
declare @m nvarchar(100);
declare @l nvarchar(50);
fetch c3 into @n, @m, @l
print 'Create table Unidades('
while (@@FETCH_STATUS=0)
begin
    print @n+' '+@m+' ('+@l+'),'
    fetch c3 into @n, @m, @l
end
close c3
open c4
declare @a nvarchar(50);
declare @b nvarchar(100);
fetch c4 into @a, @b
while (@@FETCH_STATUS=0)
begin
    print 'Primary key ('+@b+');'
    fetch c4 into @a, @b
end
close c4

--eliminando cursos
deallocate c2
deallocate c3

```